



Product Data Sheet

PRODUCT DESCRIPTION

7005 is a low solids, solvent based polychloroprene coating designed for use in various roofing and waterproofing applications.

PRODUCT COLOR

Standard color is: Black

CURED FILM PERFORMANCE

Description	Test Method	Results
Tensile Strength	ASTM D412	1,000 psi
Elongation	ASTM D412	400%
Permanent Set	ASTM D412	<30%
Tear Resistance	ASTM D1004	>150 pli
Water Resistance	ASTM D471	<3%
MVT @ 10 Mils	ASTM E96	<1 Eng. Perm
Shore A	ASTM D2240	75 - 80
Adhesion	ASTM D903	>5 pli

The above tested results are typical values. Individual lots may vary up to 10% from the typical value.

PRODUCT DATA

Description	Test Method	Results
Weight/Gal	ASTM D1475	8.6 lbs/gal
Weight Solids	ASTM D4209	29.5%
Volume Solids	Calculated	20%
VOC	EPA Method 24	446 g/L
Viscosity	ASTM D562	100 KU
Flash Point	ASTM D3278	60°F
Red Label		Yes
Pot Life		No Limit
Shelf Life		2 years
Cure Time @ 75°F and 50% RH	TT-S-0023OA	3 hrs

The above tested results are typical values. Individual lots may vary up to 10% from the typical value.

HEALTH AND SAFETY

Read the Material Safety Data Sheet (MSDS) and container labels for detailed health and safety information. This product is intended for industrial use by properly trained professional applicators only.

Manufacturer warrants that the standards and qualities of the product described herein will not vary by more than 10% from the tested results set forth above. **MANUFACTURER HEREBY EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY AND/OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.** Buyer must make its own determination of the suitability of any product for its use, whether such product is used alone or in combination with other materials. **To the extent this or any of Manufacturer's products is proven to be defective, Buyer's sole remedy shall be limited to the replacement of such defective product, exclusive of any costs of labor. MANUFACTURER SHALL NOT BE LIABLE OR OBLIGATED FOR ANY LOSS OR CONSEQUENTIAL OR OTHER DAMAGE INCURRED DIRECTLY OR INDIRECTLY BY BUYER OR ANY OTHER PERSON OR ENTITY THAT ARISES IN ANY WAY IN RELATION TO THIS OR ANY OF MANUFACTURER'S OTHER PRODUCTS.** Nothing contained herein shall be construed to constitute inducement or recommendation to practice any invention covered by any patent without authority of the owner of the patent. No Applicator is or should be viewed as an employee or agent of Manufacturer. 10012010/7005PD.indd

NEOGARD Div. of JONES-BLAIR

2728 Empire Central - Dallas, Texas 75235 - Phone (214) 353-1600 - Fax (214) 357-7532 - www.neogard.com