



## Product Data Sheet

### PRODUCT DESCRIPTION

7055 is an odorless, clear and colorless reducer that is composed of a 50/50 by weight blend of odorless mineral spirits and DB acetate.

### PRODUCT DATA

Description	Test Method	Results
Weight/Gal	ASTM D5201	7.14 lbs/gal
Weight Solids	ASTM D5201	0%
Volume Solids	ASTM D5201	0%
VOC	ASTM D5201	856 g/L
Viscosity	ASTM D2196	<1 cps
Flash Point	ASTM D3278	131°F

The above tested results are typical values. Individual lots may vary up to 10% from the typical value.

### THINNING

It is recommended that NEOGARD products be diluted with 7055 by no more than 5 – 10% by volume. Never thin by more than 10% without consulting NEOGARD first.

### STORAGE

Containers of odorless reducer should be stored in a cool (70°F) area to insure long shelf life. To prevent container rupture due to very high temperature, keep away from heat and/or open flames. When material is not in use, keep containers closed at all times.

### HEALTH AND SAFETY

Read the Material Safety Data Sheet (MSDS) and container labels for detailed health and safety information. This product is intended for industrial use by properly trained professional applicators only.

Manufacturer warrants that the standards and qualities of the product described herein will not vary by more than 10% from the tested results set forth above. **MANUFACTURER HEREBY EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY AND/OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.** Buyer must make its own determination of the suitability of any product for its use, whether such product is used alone or in combination with other materials. **To the extent this or any of Manufacturer's products is proven to be defective, Buyer's sole remedy shall be limited to the replacement of such defective product, exclusive of any costs of labor. MANUFACTURER SHALL NOT BE LIABLE OR OBLIGATED FOR ANY LOSS OR CONSEQUENTIAL OR OTHER DAMAGE INCURRED DIRECTLY OR INDIRECTLY BY BUYER OR ANY OTHER PERSON OR ENTITY THAT ARISES IN ANY WAY IN RELATION TO THIS OR ANY OF MANUFACTURER'S OTHER PRODUCTS.** Nothing contained herein shall be construed to constitute inducement or recommendation to practice any invention covered by any patent without authority of the owner of the patent. No Applicator is or should be viewed as an employee or agent of Manufacturer. 12032010/7055PD.indd

**NEOGARD Div. of JONES-BLAIR**

2728 Empire Central - Dallas, Texas 75235 - Phone (214) 353-1600 - Fax (214) 357-7532 - [www.neogard.com](http://www.neogard.com)