



Product Data Sheet

PRODUCT DESCRIPTION

7740/7741 primer is a two-component 100% solids epoxy primer for use on wood and concrete surfaces prior to application of surface applied waterproofing systems. Mix two parts 7740 with one part 7741 by volume.

PRODUCT NUMBERS AND COLORS

7740 - Transparent Red; 7741 - Neutral

CURED FILM PERFORMANCE

Description	Test Method	Results
Water Resistance	ASTM D570	<2%
MVT @ 10 Mils	ASTM E96	<0.11
Taber Abrasion	ASTM D4060	53 mg/1,000 cs17
Shore D	ASTM D2240	80
Adhesion	ASTM D4541	650 psi

The above tested results are typical values. Individual lots may vary up to 10% from the typical value.

PRODUCT DATA

Description	Test Method	Results
Weight/Gal (mixed)	ASTM D1475	9.95 lbs/gal
Weight Solids (mixed)	ASTM D4209	99.1%
Volume Solids (mixed)	Calculated	98.6%
Viscosity (mixed)	ASTM D2196	6,000 cps
VOC (mixed)	EPA Method 24	<11 g/L
Mix Ratio 7740:7741		2:1 by volume

The above tested results are typical values. Individual lots may vary up to 10% from the typical value.

HANDLING & STORAGE

Keep containers tightly closed. Store in protected area. Ideal storage temperature range for ease of handling is 50°F to 85°F.

HEALTH AND SAFETY

Read the Material Safety Data Sheet (MSDS) and container labels for detailed health and safety information. This product is intended for industrial use by properly trained professional applicators only.

Manufacturer warrants that the standards and qualities of the product described herein will not vary by more than 10% from the tested results set forth above. **MANUFACTURER HEREBY EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY AND/OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.** Buyer must make its own determination of the suitability of any product for its use, whether such product is used alone or in combination with other materials. **To the extent this or any of Manufacturer's products is proven to be defective, Buyer's sole remedy shall be limited to the replacement of such defective product, exclusive of any costs of labor. MANUFACTURER SHALL NOT BE LIABLE OR OBLIGATED FOR ANY LOSS OR CONSEQUENTIAL OR OTHER DAMAGE INCURRED DIRECTLY OR INDIRECTLY BY BUYER OR ANY OTHER PERSON OR ENTITY THAT ARISES IN ANY WAY IN RELATION TO THIS OR ANY OF MANUFACTURER'S OTHER PRODUCTS.** Nothing contained herein shall be construed to constitute inducement or recommendation to practice any invention covered by any patent without authority of the owner of the patent. No Applicator is or should be viewed as an employee or agent of Manufacturer. 10262010/7740-7741PD.indd

NEOGARD Div. of JONES-BLAIR

2728 Empire Central - Dallas, Texas 75235 - Phone (214) 353-1600 - Fax (214) 357-7532 - www.neogard.com