

Product Data Sheet

7922 (990JB)

Vertical Additive



Description: 7922 (Hempel 990JB) is an additive for NEOGARD® urethanes to enhance sag resistance of the coating material.

Recommended use: 7922 is used when fluid-applied urethanes are applied to sloped or vertical surfaces.

Availability: Available in North America. Not included in Group Assortment; other regions must confirm.

Colors and packaging:

7922 (990JB00000) NA 1/2 pint cans

Physical constants:

Weight/Gal	9.1 lbs/gal	ASTM D1475
Weight Solids	100%	ASTM D4209
Volume Solids	100%	Calculated
VOC	0.0 g/L	EPA Method 24
Viscosity	100 cps	ASTM D2196
Flash Point	> 250°F (121°C)	ASTM D3278
Shelf Life	1 year	
Cure Time @ 75°F (23°C), 50% RH	24 hours	TT-S-0023OA
Pot Life (mixed with urethane coating @ 75°F (23°C), 50% RH)	90–120 minutes	Calculated

The above tested results are typical values. Individual lots may vary up to 10% from the typical value. Further technical information can be found at www.neogard.com.

Application details:

7922 can be used for the following urethane coating products. Induction time: 30 minutes.

Product:	7922 per 5 gallons:	Sag resistance (mils):
7430 (57040)	2 x 1/2 pints	14–16
7435 (57040)	2 x 1/2 pints	14–16
70611 series (475JB)	1/2 pint	>50
70620 (473JB)	1/2 pint	>50
70410 (45010)	1/2 pint	14 -16

Safety: Handle with care. Before and during use, observe all safety labels on packaging and paint containers, consult NEOGARD® Safety Data Sheets and follow all local or national safety regulations.

Note: **7922 (990JB) is for professional use only.**

Issued by: Hempel A/S – 990JB

This Product Data Sheet supersedes those previously issued.

Manufacturer warrants that the physical properties of the product reported above will meet the standards and deviations of the associated ASTM test method. MANUFACTURER HEREBY EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY AND/OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. Buyer must make its own determination of the suitability of any product for its use, whether such product is used alone or in combination with other materials. To the extent this or any of Manufacturer's products is proven to be defective, Buyer's sole remedy shall be limited to the replacement of such defective product, exclusive of any costs of labor. MANUFACTURER SHALL NOT BE LIABLE OR OBLIGATED FOR ANY LOSS OR CONSEQUENTIAL OR OTHER DAMAGE INCURRED DIRECTLY OR INDIRECTLY BY BUYER OR ANY OTHER PERSON OR ENTITY THAT ARISES IN ANY WAY IN RELATION TO THIS OR ANY OF MANUFACTURER'S OTHER PRODUCTS. Nothing contained herein shall be construed to constitute inducement or recommendation to practice any invention covered by any patent without authority of the owner of the patent. No Applicator is or should be viewed as an employee or agent of Manufacturer. 7922-PDS ksk 04202018.docx

NEOGARD®, a Division of Hempel (USA), Inc.
2728 Empire Central - Dallas, Texas 75235 - Phone (214) 353-1600 - Fax (214) 357-7532 - www.neogard.com