


# Exterior Wall Coatings

Seamless protection  
from the elements





# Advanced Wall to Wall Protection

**Weatherproof exposed wall surfaces with Neogard®'s seamless high performance coating systems that combine beauty with function.**

When you compare the total cost of ownership, from application to longevity, it is easy to see why Neogard is the obvious high performance coating solution.

Reduce your  
structure's  
lifecycle costs

# Wall Coatings

Use our high-performance seamless exterior wall coatings over:

- Concrete
- EIFS
- Masonry
- Stucco

## Performance Properties & Benefits

Seamless & Fully Adhered	Monolithic surface Protects concrete and rebar from moisture and chloride intrusion
Resists wind driven rain	Helps prevent water penetration into the substrate
Waterproof	Provides a moisture barrier Leak protection Reduces structure's lifecycle cost
Elastomeric	Accommodates thermal expansion and contraction Bridges cracks Leak protection
UV resistance	Provides excellent color retention for a long-lasting, attractive finish
Breathable	Allows for water vapor to escape
Anti-carbonation	Protects concrete and reinforcing steel from effects of atmospheric carbonation
Decorative	Available in a variety of colors Multiple attractive textures & finishes available



## Neocrylic

100% acrylic decorative coating used to protect properly prepared masonry, Exterior Insulated and Finish Systems (EIFS), wood and incidental metal surfaces. It offers outstanding color retention, low luster and exceptional ease of application. Neocrylic resists flaking, peeling and blistering and has excellent durability.



## Neocrylic HB

Water-based, 100% acrylic, high Build, flexible, anti-carbonation coating for above-grade concrete, masonry, stucco and EIFS. It provides excellent durability, fade resistance and resists cracking, peeling and chipping while bridging hair line cracks.



## Neocrylic LR

Water-based, acrylic, decorative, high-build coating used to protect, brighten and add light reflectivity to the interior spaces of a garage. Neocrylic LR is only available in white and is intended for use on interior walls, ceilings and columns in parking garages.



## Neoflex

100% acrylic, elastomeric, anti-carbonation wall coating. Ideal for waterproofing concrete, masonry, EIFS and stucco surfaces. Can be tinted to match colors.





Neogard, A part of Hempel, manufactures high-performance coatings specified and used for structures across the globe for over 60 years. Neogard's coating systems protect the building envelope through vehicular and pedestrian traffic coatings, protective roof coatings, seamless flooring and elastomeric wall coatings.

You can find Neogard coatings in Major Stadiums and Arenas, Office Buildings, Universities, Hospitals, Hotels and Casinos, Airports and Hangers, Government Facilities, Manufacturing Plants and more.

#### **About Hempel**

As a world-leading supplier of trusted coating solutions, Hempel is a global company with strong values, working with customers in the protective, marine, decorative, container and yacht industries. Hempel factories, R&D centers and stock points are established in every region. Across the globe, Hempel's coatings protect surfaces, structures and equipment. They extend asset lifetimes, reduce maintenance costs and make homes and workplaces safer and more colorful. Hempel was founded in Copenhagen, Denmark in 1915. It is proudly owned by the Hempel Foundation, which ensures a solid economic base for the Hempel Group and supports cultural, social, humanitarian and scientific purposes around the world.

Hempel (USA) Inc  
2728 Empire Central,  
Dallas, TX 75235  
Tel: 1-833-443-6735

[neogard.com](http://neogard.com)

US\_V1\_JUL\_20